



Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Air	EPA 12-Air emissions monitoring, back up boiler PPU				0.35 g/m3	Yearly	
		Lab report number					
		Sampled date					
		Lab received date					
		Report received date					
	Summary		Testing is conducted yearly and is not required this month				
	EPA 22-Air emissions monitoring, main boiler PPU					0.35 g/m3	Yearly
		Lab report number					
		Sampled date					
		Lab received date					
Report received date							
Summary		Testing is conducted yearly and is not required this month					



Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Air	EPA 24 - Air emissions monitoring, gas boiler stack DPU				0.35 g/m3	Yearly	
		Lab report number					
		Sampled date					
		Lab received date					
		Report received date					
	Summary		Testing is conducted yearly and is not required this month				
	EPA 7- Air emissions monitoring, DPU boiler Stack					0.25 g/m3	Yearly
		Particulate matter	180		g/m3		
		Lab report number	R009547				
		Sampled date	18/08/2020				
Lab received date							
Report received date		11/09/2020					
Summary							



BEGA CHEESE
SINCE 1899

Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Air	EPA 8-Air emissions monitoring, Whey plant stack DPU				0.25 g/m3	Special frequency 2
		Particulate matter	230	g/m3		
		Lab report number	R009547			
		Sampled date	19/08/2020			
		Lab received date				
		Report received date	11/09/2020			
<u>Summary</u>						



Environment Monitoring Report

August 2020

EPA Licence number: 1511

BEGA CHEESE
SINCE 1899

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Noise	L3.2 - Noise emissions during night time (10pm to 7am) at the most affected residential property				LA10(15 minutes) 45dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date				
		Summary Testing is conducted quarterly and is not required this month				
Noise	L3.3 - Noise emissions during day time at the most affected residential property				LA1(15 minute) 53 dB (A)	Yearly
		Lab report number				
		Sampled date				
		Report received date				
		Summary Testing is conducted quarterly and is not required this month				



Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency	
Water & Land	EPA 1 – Volume monitoring from DPU to utilisation areas - The Ranch, Wet Weather Storage Dam, Angeldale Apps Farm West, Apps Farm East, Apps Flat, Rockleigh, Ubrihien & Factory Flats				none	Daily	
		Irrigation Days	31				
		Volume (Average)	1202	kL/day			
		Volume (Min-Max)	521 - 1523	kL/day			
		Sampled date	31/08/2020				
	<u>Summary</u>						
	EPA 23-Environmental monitoring subsurface drainage sump at WWSD					none	Quarterly
		Biochemical oxygen demand	5	mg/L			
		Conductivity	760	µS/cm			
		Nitrate	0.008	mg/L			
PH		6.2					
Lab report number		N090727					
Sampled date		25/08/2020					
Lab received date		26/08/2020					
Report received date		31/08/2020					
<u>Summary</u>							



Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 25 - 'Control' Groundwater monitoring point at corner of Daisy Hill & Buckajo Rd				none	Quarterly
	Lab report number Sampled date Lab received date Report received date <u>Summary</u> Testing is conducted quarterly and is not required this month					
	EPA 26 - Groundwater monitoring point at 'The Ranch' fenceline				none	Quarterly
	Lab report number Sampled date Lab received date Report received date <u>Summary</u> Testing is conducted quarterly and is not required this month					



Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 27 - Groundwater monitoring point at Bega River crossing, Factory Flats				none	Quarterly
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		Summary				
		Testing is conducted quarterly and is not required this month				
Water & Land	EPA 28 - Groundwater monitoring point at Apps Farm near bridge				none	Quarterly
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		Summary				
		Testing is conducted quarterly and is not required this month				



Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 29 - Groundwater monitoring point at Apps Farm, east river flats				none	Quarterly
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		Summary				
		Testing is conducted quarterly and is not required this month				
Water & Land	EPA 30 - Groundwater monitoring point at Apps/Ubrihien farm south				none	Quarterly
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		Summary				
		Testing is conducted quarterly and is not required this month				



BEGA CHEESE
SINCE 1899

Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 31 - 'Control' Groundwater monitoring point at Ubrihien farm west				none	Quarterly
		Lab report number				
		Sampled date				
		Lab received date				
		Report received date				
		<p>Summary Testing is conducted quarterly and is not required this month</p>				



Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 5-Effluent quality monitoring, DPU holding tanks 1 & 2				none	Monthly
		Biochemical oxygen demand	1850	mg/L		
		Conductivity	2524	µS/cm		
		Faecal coliforms	100	cfu/100 ml		
		Nitrate	1	mg/L		
		Nitrogen (total)	120	mg/L		
		Phosphorus (total)	47	mg/L		
		Sodium	675	mg/L		
		Sodium adsorption ratio	24			
		Total suspended solids	690	mg/L		
		PH	7			
		Lab report number	N090874			
		Sampled date	31/08/2020			
		Lab received date	1/09/2020			
		Report received date	9/09/2020			
<u>Summary</u>						



Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Monitoring Type	Monitoring Point	Pollutant	Measurements	Unit	Limit	Frequency
Water & Land	EPA 6-Effluent quality & discharge volume monitoring from WWSD holding tank to utilisation areas 'The Ranch' and 'Grevillea'				none	Special frequency 1
		Biochemical oxygen demand	1300	mg/L		
		Conductivity	2524	µS/cm		
		Faecal coliforms	100	cfu/100 ml		
		Nitrate	0.33	mg/L		
		Nitrogen (total)	58	mg/L		
		Phosphorus (total)	31	mg/L		
		Sodium	450	mg/L		
		Sodium adsorption ratio	16			
		Total suspended solids	360	mg/L		
		PH	7			
		Irrigation Days	1			
		Volume (Average)	1787.6	kL/day		
		Volume (Min-Max)	1787 - 1787	kL/day		
		Lab report number	N090379			
		Sampled date	30/08/2020			
		Lab received date	22/09/2020			
		Report received date	12/10/2020			
<u>Summary</u>						



Environment Monitoring Report

August 2020

EPA Licence number: 1511

PO Box 123
Bega NSW 2550
Australia
Reception Ph: +61-2-6491 7777
Environment Line Ph: +61-2-6491 7691

Glossary

Abbreviation	Description
DPU	Dairy Processing Unit, Lagoon St
Lab	Laboratory
PPU	Processing & Packaging Plant, Ridge St
special frequency 1	Monthly sampling during discharge from point 6 during any month that discharge occurs
special frequency 2	Annual sampling of two samples: sample 1 collected no more than 1 hour before the stack is washed, and sample 2 collected no more than 1 hour after the stack is washed.
WWSD	Wet weather storage dam